



# Cisco Feature Navigator

Search by Feature

Search by Software

Compare Images

**Objective:** Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

### Your Selections:

Software	<b>IOS</b>
Major Release	<b>12.4</b>
Release	12.4(3)
Platform	1721
Feature Set	ADVANCED SECURITY

[New Search](#)

### Search Results

Image Info

<b>Image Name</b>	c1700-advsecurityk9-mz.12.4-3.bin
<b>DRAM / Min Flash</b>	64 / 16
<b>Enterprise Product Number</b>	S17ASK9-12403

This image has software advisories associated with it. [Click here](#) for details.  
[Compare Images](#) [View MIBs](#) [Release Notes](#) [Image Download Information](#)

Features

- [AAA Broadcast Accounting](#)
- [AAA DNIS Map for Authorization](#)
- [AAA Double Authentication Secured by Absolute Timeout](#)
- [AAA Server Group](#)
- [AAA Server Group Deadtimer](#)
- [AAA Server Group Enhancements](#)
- [AAA Server Groups Based on DNIS](#)
- [Ability to Disable Xauth for Static IPsec Peers](#)
- [Accounting of VPDN Disconnect Cause](#)
- [ACL - Reflexive Access Lists](#)
- [ACL - Support for Non-Contiguous Port Ranges on an ACE](#)
- [ACL Authentication of Incoming RSH and RCP](#)
- [ACL IP Options Selective Drop](#)
- [ACL Sequence Numbering](#)
- [ACL Support for Filtering IP Options](#)
- [Additional Vendor-Proprietary RADIUS Attributes](#)
- [Address Resolution Protocol \(ARP\)](#)
- [ADSL - Asymmetric Digital Subscriber Line Support](#)
- [ADSL over POTS with Dying Gasp](#)
- [Advanced Encryption Standard \(AES\)](#)
- [Always On Dynamic ISDN \(AO/DI\)](#)
- [ARP-Auto Logoff](#)
- [Asynchronous Rotary Line Queuing](#)

[Asynchronous Serial Traffic Over UDP](#)  
[ATM Cell Loss Priority \(CLP\) Bit Marking](#)  
[Authentication Proxy Accounting for HTTP](#)  
[Auto Secure Manageability](#)  
[AutoInstall over Frame Relay-ATM Interworking Connections](#)  
[AutoInstall Using DHCP for LAN Interfaces](#)  
[Automatic modem configuration](#)  
[AutoSecure](#)  
[AutoSecure Customization and Audit Trail Enhancements](#)  
[Bandwidth Allocation Control Protocol \(BACP\)](#)  
[Bridge Control Protocol \(BCP\) Support](#)  
[Call Admission Control for IKE](#)  
[CDP \(Cisco Discovery Protocol\) Version 2](#)  
[CEF on Multipoint GRE Tunnels](#)  
[CEF/dCEF - Cisco Express Forwarding](#)  
[Certificate - Auto Enrollment](#)  
[Certificate - Enrollment Enhancements](#)  
[Certificate - Security Attribute-Based Access Control](#)  
[Certification Authority Interoperability \(CA\)](#)  
[CGMP - Cisco Group Management Protocol](#)  
[Challenge Handshake Authentication Protocol \(CHAP\)](#)  
[Channelized E1 Signaling](#)  
[Circuit Interface Identification Persistence for SNMP](#)  
[Cisco Discovery Protocol \(CDP\) over ATM](#)  
[Cisco Easy VPN Remote](#)  
[Cisco IOS Certificate Server](#)  
[Cisco IOS Login Enhancements](#)  
[Class Based Weighted Fair Queuing \(CBWFQ\)](#)  
[Class-Based Marking](#)  
[Class-Based Policing](#)  
[Class-Based Shaping](#)  
[CLI String Search](#)  
[CLI Views](#)  
[CNS - Agents SSL Security](#)  
[CNS - Configuration Agent](#)  
[CNS - Event Agent](#)  
[CNS - Flow Through Provisioning](#)  
[CNS - Frame Relay Zero Touch](#)  
[Command Scheduler \(Kron\)](#)  
[Commented IP Access List Entries](#)  
[Committed Access Rate \(CAR\)](#)  
[Compressed RTP \(cRTP\) - DSL interfaces](#)  
[Compression Control Protocol](#)  
[Config Logger Enhancements for EAL4+ Certification](#)  
[Configuration Change Notification and Logging](#)  
[Configuration Replace and Configuration Rollback](#)  
[Connection-Mode Network Service \(CMNS\)](#)  
[Context-Based Access Control \(CBAC\)](#)

[Control Plane Policing \(CPP\)](#)  
[Control Plane Policing - Time based](#)  
[Control Plane Policing Manageability](#)  
[CPU Thresholding Notification](#)  
[Crypto Access Check](#)  
[Crypto Conditional Debug Support](#)  
[CT1/RBS \(Robbed Bit Signaling\)](#)  
[CUG Selection Facility Suppress Option](#)  
[Custom Queueing \(CQ\)](#)  
[Customer Profile Idle Timer Enhancements for Interesting Traffic](#)  
[Default Passive Interface](#)  
[Default Route on a PPP Virtual Access Interface](#)  
[DF Bit Override Functionality with IPSec Tunnels](#)  
[DHCP - Configurable DHCP Client](#)  
[DHCP - Static Mapping](#)  
[DHCP - Statically Configured Routes Using a DHCP Gateway](#)  
[DHCP Accounting](#)  
[DHCP Address Allocation using Option 82](#)  
[DHCP Authorized ARP](#)  
[DHCP Client](#)  
[DHCP Client - Dynamic Subnet Allocation API](#)  
[DHCP Client on WAN Interfaces](#)  
[DHCP Enhancements for Edge-Session Management](#)  
[DHCP ODAP Server Support](#)  
[DHCP On Demand Address Pool \(ODAP\) Manager for non-MPLS VPN pools](#)  
[DHCP Proxy Client](#)  
[DHCP Relay Agent Support for Unnumbered Interfaces](#)  
[DHCP Secured IP Address Assignment](#)  
[DHCP Server](#)  
[DHCP Server - On Demand Address Pool Manager](#)  
[DHCP Server - Option to Ignore all BOOTP Requests](#)  
[DHCP Server Options - Import and Autoconfiguration](#)  
[Dial Backup](#)  
[Dial-on-demand](#)  
[Dialer Idle Timer Inbound Traffic Configuration](#)  
[Dialer Map VRF Aware](#)  
[Dialer Persistent](#)  
[Dialer Profiles](#)  
[Dialer Watch](#)  
[Dialer Watch Connect Delay](#)  
[Differentiated Services](#)  
[Diffserv Compliant WRED](#)  
[Direct http enroll with CA servers](#)  
[Distinguished Name Based Crypto Maps](#)  
[DLR Enhancements: PGM RFC-3208 Compliance](#)  
[DNS based X.25 routing](#)  
[Double Authentication](#)  
[Dynamic DNS Support for Cisco IOS](#)

[Dynamic Multiple Encapsulation for Dial-in over ISDN](#)

[Dynamic Multipoint VPN \(DMVPN\) Phase 1](#)

[Dynamic Trunking Protocol \(DTP\)](#)

[E1 R2 Signaling](#)

[Easy IP \(Phase 1\)](#)

[Easy Secure Device Deployment \(Easy SDD\) - Phase 4](#)

[Easy VPN Client RSA - Signature Support](#)

[Easy VPN Remote](#)

[Easy VPN Remote : Multiple Inside Interface Enhancements](#)

[Easy VPN Remote Enhancements](#)

[Easy VPN Remote Phase 4.1 Enhancements](#)

[Easy VPN Remote Web Based Activation](#)

[Easy VPN Remote: Local-Address Support](#)

[Easy VPN Remote: Manual Tunnel Control Enhancement](#)

[Easy VPN Server](#)

[EasyVPN Server Enhancements](#)

[EIGRP MPLS VPN PE-CE Site of Origin \(SoO\)](#)

[EIGRP Prefix Limit Support](#)

[EIGRP Stub Routing](#)

[EIGRP Support for Route Map Filtering](#)

[Email Inspection Engine](#)

[Embedded Event Manager \(EEM\) 2.1](#)

[Embedded Syslog Manager \(ESM\)](#)

[Encrypted Pre-shared Key](#)

[Encrypted Vendor Specific Attributes](#)

[Enhanced cRTP for links with high delay, packet loss and reordering](#)

[Enhanced IGRP \(EIGRP\)](#)

[Enhanced Local Management Interface \(ELMI\)](#)

[Enhanced Password Security](#)

[Enhanced Tracking Support](#)

[Exporting and Importing RSA Keys](#)

[Express RTP and TCP Header Compression on Dialer interfaces](#)

[Extended Simple Mail Transfer Protocol \(ESMTP\) for IOS Firewall](#)

[EzSDD Phase III](#)

[Facility Debug Enhancements](#)

[Fast Fragmentation \(Fast-Switched Fragmented IP Packets\)](#)

[Fast-Switched Policy Routing](#)

[FHRP - Object Tracking List](#)

[Firewall ACL Bypass](#)

[Firewall Authentication Proxy](#)

[Firewall Authentication Proxy for FTP and Telnet Sessions](#)

[Firewall Feature Set](#)

[Firewall Intrusion Detection \(IDS\) Signature Enhancements](#)

[Firewall Intrusion Detection System](#)

[Firewall N2H2 Support](#)

[Firewall Stateful Inspection of ICMP](#)

[Firewall Support for SIP](#)

[Firewall Support of SSL Encrypted HTTP Authentication Proxy Sign-on](#)

[Firewall Websense URL Filtering](#)

[Flow-Based WRED](#)

[Frame Relay](#)

[Frame Relay - FRF.5 & FRF.8](#)

[Frame Relay - Multilink \(MLFR-FRF.16\)](#)

[Frame Relay Encapsulation](#)

[Frame Relay End-to-End Keepalive](#)

[Frame Relay Fragmentation \(FRF.12\)](#)

[Frame Relay FRF.9 Payload Compression](#)

[Frame Relay PVC Interface Priority Queueing](#)

[Frame Relay Router ForeSight](#)

[Frame Relay SVC Support \(DTE\)](#)

[Frame Relay Switched Virtual Circuits \(SVC\) over ISDN](#)

[Frame Relay Switching](#)

[Frame Relay Switching Diagnostics and Troubleshooting](#)

[Frame Relay Switching Enhancements: Shaping and Policing](#)

[Frame Relay Traffic Shaping \(FRTS\)](#)

[Frame Relay Voice Adaptive Traffic Shaping](#)

[FTP Support for Downloading Software Images](#)

[G.SHDSL Symmetric DSL Support](#)

[Gateway Load Balancing Protocol \(GLBP\)](#)

[Generic Routing Encapsulation \(GRE\)](#)

[Generic Routing Encapsulation \(GRE\) Tunnel Keepalive](#)

[Generic Traffic Shaping \(GTS\)](#)

[Granular Protocol Inspection](#)

[Half bridge/half router for CPP and PPP](#)

[HSRP - Hot Standby Router Protocol](#)

[HSRP - Hot Standby Router Protocol and IPSec](#)

[HSRP MD5 Authentication](#)

[HSRP support for ICMP Redirects](#)

[HTTP 1.1 Web Client](#)

[HTTP 1.1 Web Server](#)

[HTTP Inspection Engine](#)

[HTTP Security](#)

[HTTP Server - Enabling of Applications](#)

[HTTPS - HTTP with SSL 3.0](#)

[IDS Support of Security Device Event Exchange \(SDEE\)](#)

[IEEE 802.1p Support](#)

[IEEE 802.1Q ISL VLAN Mapping](#)

[IEEE 802.1Q VLAN Support](#)

[IEEE 802.1Q VLAN Trunking](#)

[IEEE 802.1x - VPN Access Control](#)

[IGMP MIB Support Enhancements for SNMP](#)

[IGMP Version 2](#)

[IGMP Version 3](#)

[IGMP Version 3 - Explicit Tracking of Hosts, Groups, and Channels](#)

[Ignore revocation check and expired certs based on CERT ACL](#)

[IKE - Initiate Aggressive Mode](#)

[IKE Extended Authentication \(Xauth\)](#)  
[IKE Mode Configuration](#)  
[IKE Security Protocol](#)  
[IKE Shared Secret Using AAA Server](#)  
[Image Verification](#)  
[Import of RSA keypair in PEM format](#)  
[Inspection of Router-Generated Traffic](#)  
[Integrated routing and bridging \(IRB\)](#)  
[Interface Alias Long Name Support](#)  
[Interface Index Display](#)  
[Interface Index Persistence](#)  
[Interface Range Specification](#)  
[Intrusion Prevention System](#)  
[Invalid Special Parameter Index \(SPI\) Recovery](#)  
[IP Enhanced IGRP Route Authentication](#)  
[IP Multicast Load Splitting across Equal-Cost Paths](#)  
[IP Named Access Control List](#)  
[IP Precedence for GRE Tunnels](#)  
[IP Routing](#)  
[IP SLAs - Application Performance Monitor \(APM\)](#)  
[IP SLAs - DHCP Operation](#)  
[IP SLAs - Distribution of Statistics](#)  
[IP SLAs - DNS Operation](#)  
[IP SLAs - Frame Relay Interfaces](#)  
[IP SLAs - FTP Operation](#)  
[IP SLAs - History Statistics](#)  
[IP SLAs - HTTP Operation](#)  
[IP SLAs - ICMP Echo Operation](#)  
[IP SLAs - ICMP Path Echo Operation](#)  
[IP SLAs - MPLS VPN Awareness](#)  
[IP SLAs - Multi Operation Scheduler](#)  
[IP SLAs - One Way Measurement](#)  
[IP SLAs - Path Jitter Operation](#)  
[IP SLAs - Reaction Threshold](#)  
[IP SLAs - Scheduler](#)  
[IP SLAs - SNA LU2 Echo](#)  
[IP SLAs - SNMP Support](#)  
[IP SLAs - TCP Connect Operation](#)  
[IP SLAs - UDP Echo Operation](#)  
[IP SLAs - UDP Jitter Operation](#)  
[IP SLAs - VoIP Threshold Traps](#)  
[IP SLAs Sub-millisecond Accuracy Improvements](#)  
[IP Source Tracker](#)  
[IP Summary Address for RIPv2](#)  
[IP to ATM CoS, per-VC WFQ and CBWFQ](#)  
[IPSec and Quality of Service](#)  
[IPSec Anti-Replay Window: Expanding and Disabling](#)  
[IPSec Dead Peer Detection \(DPD\) Periodic Message Option](#)

[IPSec MIB Support for Cisco IPSec VPN Management](#)

[IPsec NAT Transparency](#)

[IPSec Network Security](#)

[IPSEC Preferred Peer](#)

[IPSec Through Network Address Translation Support](#)

[IPSec Triple DES Encryption \(3DES\)](#)

[IPSec VPN High Availability Enhancements](#)

[IPSec VTI - Virtual Tunnel Interface](#)

[ISDN](#)

[ISDN Advice of Charge \(AOC\)](#)

[ISDN Caller ID Callback](#)

[ISDN Cause Code Override](#)

[ISDN Leased Line at 128kbps](#)

[Key Rollover for Certificate Renewal](#)

[L2TP - IPSEC Support for NAT and PAT Windows Clients](#)

[L2TP Client Initiated Tunneling](#)

[L2TP Dial-Out](#)

[L2TP Layer 2 Tunneling Protocol](#)

[L2TP Security](#)

[L2TP Tunnel Preservation of IP TOS](#)

[Layer 2 Forwarding-Fast Switching](#)

[Loadsharing IP packets over more than six parallel paths](#)

[Lock and Key](#)

[Login Password Retry Lockout](#)

[Low Latency Queueing \(LLQ\)](#)

[Low Latency Queueing \(LLQ\) for Frame Relay](#)

[Low Latency Queueing \(LLQ\) with Priority Percentage Support](#)

[LZ Software Compression with Hardware Encryption](#)

[Manual certificate enrollment \(TFTP and cut-and-paste\)](#)

[MD5 File Validation](#)

[Memory Traceback Recording](#)

[Message Banners for AAA Authentication](#)

[Microsoft Point-to-Point Compression \(MPPC\)](#)

[MLPPP - Multilink PPP](#)

[MLPPP Bundling - DSL Interfaces](#)

[MLPPP with Link Fragmentation Interleave \(LFI\)](#)

[Mobile IP](#)

[Mobile IP - Mobile Networks](#)

[Mobile IP Home Agent \(HA\) Redundancy](#)

[Modem User Interface Option](#)

[Modular QoS CLI \(MQC\)](#)

[MPLS VPN VRF Selection using Policy Based Routing](#)

[MPLS VPN support for EIGRP between Provider Edge \(PE\) and Customer Edge \(CE\)](#)

[MS Callback](#)

[MS-CHAP Version 1](#)

[MTree crypto data structure optimizations](#)

[Multi-VRF Support \(VRF lite\)](#)

[Multicast NAT](#)

[Multiclass Multilink PPP](#)  
[Multiple RSA Keypair Support](#)  
[NAC - Network Admission Control](#)  
[Named Method Lists for AAA Authorization and Accounting](#)  
[NAT - Default Inside Server Enhancement](#)  
[NAT - Stateful Fail-over of Network Address Translation \(SNAT\) Phase 1](#)  
[NAT - Network Address Translation](#)  
[NAT - Performance & Scalability enhancement - Timer Wheel](#)  
[NAT - Performance Enhancement - CEF Switching Support](#)  
[NAT - Rate Limiting NAT Translation](#)  
[NAT - Scalability for Stateful NAT](#)  
[NAT - Stateful Fail-Over - Asymmetric Outside-to-Inside Support](#)  
[NAT - Stateful Fail-over for Embedded Addressing](#)  
[NAT - Static IP Support](#)  
[NAT - Support for H.323 Fragmented Control Messages](#)  
[NAT - Support for NetMeeting Directory \(Internet Locator Service - ILS\)](#)  
[NAT - Support for SIP](#)  
[NAT - Support of H.323v2 Call Signaling \(FastConnect\)](#)  
[NAT - Support of H.323v2 RAS](#)  
[NAT - Translation of external IP Addresses only](#)  
[NAT-Support of IP Phone to Cisco Call Manager](#)  
[NBAR - Network-based Application Recognition](#)  
[NBAR Extended Inspection for HTTP Traffic](#)  
[NBAR PDLM Versioning](#)  
[NBAR Real-time Transport Protocol Payload Classification](#)  
[NBAR User-Defined Custom Application Classification](#)  
[NBAR-NAT Integration & RTSP](#)  
[NetFlow](#)  
[NetFlow Aggregation](#)  
[Netflow Egress Accounting](#)  
[NetFlow Layer 2 and Security Monitoring Exports](#)  
[Netflow MIB and Top Talkers](#)  
[Netflow Multiple Export Destinations](#)  
[NetFlow Policy Routing \(NPR\)](#)  
[NetFlow ToS-Based Router Aggregation](#)  
[Network Time Protocol \(NTP\)](#)  
[Next Hop Resolution Protocol \(NHRP\)](#)  
[On Demand Routing \(ODR\)](#)  
[Option to Disable Hardware Crypto Engine Failover to Software Crypto Engine](#)  
[OSPF](#)  
[OSPF ABR type 3 LSA Filtering](#)  
[OSPF Area Transit Capability](#)  
[OSPF Flooding Reduction](#)  
[OSPF Link State Database Overload Protection](#)  
[OSPF Link-local Signaling \(LLS\) Per Interface Basis](#)  
[OSPF Not-So-Stubby Areas \(NSSA\)](#)  
[OSPF On Demand Circuit \(RFC 1793\)](#)  
[OSPF Packet Pacing](#)

[OSPF Sham-Link Support for MPLS VPN](#)  
[OSPF Stub Router Advertisement](#)  
[OSPF Support for Multi-VRF on CE Routers](#)  
[PAD Subaddressing](#)  
[Parse Bookmarks](#)  
[Parser Cache](#)  
[Password Authentication Protocol \(PAP\)](#)  
[PBR Support for Multiple Tracking Options](#)  
[Per-User Configuration](#)  
[Percentage-Based Policing and Shaping](#)  
[Performance Enhancements for IOS ACL](#)  
[Persistent Self-Signed Certificates](#)  
[PIM Dense Mode State Refresh](#)  
[PIM MIB Extension for IP Multicast](#)  
[PIM Multicast Scalability](#)  
[PIM Version 1](#)  
[PIM Version 2](#)  
[PKI AAA Authorization Using the Entire Subject Name](#)  
[PKI Integration with AAA Server](#)  
[Policy-Based Routing \(PBR\)](#)  
[Port to Application Mapping \(PAM\)](#)  
[PPP](#)  
[PPP MLP MRRU negotiation configuration](#)  
[PPP over ATM](#)  
[PPP over ATM \(IETF-Compliant\)](#)  
[PPP over ATM SVCs](#)  
[PPP over Frame Relay](#)  
[PPPoE Client](#)  
[PPPoE MTU Adjustment](#)  
[PPTP with MPPE](#)  
[Pragmatic General Multicast \(PGM\)](#)  
[Pre-fragmentation For Ipsec VPNs](#)  
[Priority Queueing \(PQ\)](#)  
[Privilege Command Enhancement](#)  
[Protected Private Key Storage](#)  
[QoS Bandwidth Estimation](#)  
[QoS Device Manager \(QDM\)](#)  
[QoS for Virtual Private Networks](#)  
[QoS Packet Marking](#)  
[QoS Priority Percentage CLI Support](#)  
[Quality of Service \(QoS\) - Classification Only](#)  
[Query Mode Definition Per Trustpoint](#)  
[Query Multiple Servers during Certificate Revocation Check](#)  
[RADIUS](#)  
[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)  
[RADIUS attribute 5 \(NAS-Port\) format specified on a per-server group level](#)  
[RADIUS Attribute 66 \(Tunnel-Client-Endpoint\) Enhancements](#)  
[RADIUS Attribute 82: Tunnel Assignment Id](#)

[RADIUS Centralized Filter Management](#)

[RADIUS for Multiple User Datagram Protocol Ports](#)

[RADIUS Route Download](#)

[RADIUS Tunnel Preference for Load Balancing and Fail-over](#)

[Random Early Detection \(RED\)](#)

[Rate Queues for SVCs per sub-interface](#)

[Re-Enroll Using Existing Certificate](#)

[Real-time Resolution for IPsec Tunnel Peer](#)

[Reliable Static Routing Back-up using Object Tracking](#)

[Response Time Reporter \(RTR\)](#)

[Response Time Reporter \(RTR\) enhancements](#)

[Reverse Path Forwarding - Source Exists only](#)

[Reverse Route Injection](#)

[Reverse Route Injection \(RRI\)](#)

[Reverse SSH Enhancements](#)

[RIP](#)

[RMON events and alarms](#)

[Role-Based Access Control CLI commands](#)

[Rotating Through Dial Strings](#)

[RSVP - Resource Reservation Protocol](#)

[RSVP Local Policy Support](#)

[RSVP Support for Frame Relay](#)

[RSVP support for LLQ](#)

[RTP Header Compression](#)

[SEAL Encryption](#)

[Secure Copy \(SCP\)](#)

[Secure Shell SSH Terminal-line access](#)

[Secure Shell SSH Version 1 Integrated Client](#)

[Secure Shell SSH Version 1 Server Support](#)

[Secure Shell SSH Version 2 Client Support](#)

[Secure Shell SSH Version 2 Server Support](#)

[Security Device Manager \(SDM\)](#)

[Selective Packet Discard \(SPD\)](#)

[Show Command Redirect](#)

[Silent Operation Mode](#)

[Simple Network Time Protocol \(SNTP\)](#)

[Single Rate 3-Color Marker for Traffic Policing](#)

[Snapshot routing](#)

[SNMP \(Simple Network Management Protocol\)](#)

[SNMP Inform Request](#)

[SNMP Manager](#)

[SNMP Support for IOS vLAN Subinterfaces](#)

[SNMP Support for vLAN \(ISL, DOT1Q\) Subinterfaces](#)

[SNMP Support over VPN](#)

[SNMPv2C](#)

[SNMPv3 \(SNMP Version 3\)](#)

[Source Interface Selection for Outgoing Traffic with Certificate Authority \(CA\)](#)

[Source Specific Multicast \(SSM\) Mapping](#)

[Spanning Tree Protocol \(STP\)](#)  
[Spanning Tree Protocol \(STP\) - Loop Guard](#)  
[Spanning Tree Protocol \(STP\) - Portfast](#)  
[Spanning Tree Protocol \(STP\) - Uplink Load Balancing](#)  
[Spanning Tree Protocol \(STP\) Extension](#)  
[Standard IP Access List Logging](#)  
[Stub IP Multicast Routing](#)  
[Subnetwork Bandwidth Manager \(SBM\)](#)  
[Switched Multimegabit Data Service \(SMDS\)](#)  
[Tacacs SENDAUTH function](#)  
[Tacacs Single Connection](#)  
[TACACS+](#)  
[TCP - Explicit Congestion Notification](#)  
[TCP - TCP Congestion Avoidance](#)  
[TCP Window Scaling](#)  
[Time-Based Access Lists Using Time Ranges](#)  
[Timer and Retry Enhancements for L2TP and L2F](#)  
[Transient Memory Management](#)  
[Transparent Bridging](#)  
[Transparent IOS Firewall](#)  
[Triggered RIP](#)  
[Trusted Root Certification Authority](#)  
[Trustpoint CLI](#)  
[Tunable Tx-Ring buffer-DSL interfaces](#)  
[Tunnel Endpoint Discovery](#)  
[Tunnel Type of Service \(TOS\)](#)  
[Turbo Flooding of UDP Datagrams](#)  
[Two-Rate Policer](#)  
[UDLR Tunnel ARP and IGMP Proxy](#)  
[UDP forwarding support of IP Redundancy Virtual Router Group \(VRG\)](#)  
[Uni-Directional Link Routing \(UDLR\)](#)  
[Unicast Reverse Path Forwarding \(uRPF\)](#)  
[User Maximum Links](#)  
[Virtual Fragmentation Reassembly](#)  
[Virtual Interface Template Service](#)  
[Virtual Private Dial-up Network \(VPDN\)](#)  
[Virtual Profiles](#)  
[Virtual Router Redundancy Protocol \(VRRP\)](#)  
[VPDN Group Session Limiting](#)  
[VPN Tunnel Management](#)  
[VRF Aware Cisco IOS Firewall](#)  
[VRRP MD5 Authentication](#)  
[Warm Reload](#)  
[WCCP Redirection on Inbound Interfaces](#)  
[WCCP Version 1](#)  
[WCCP Version 2](#)  
[Weighted Fair Queueing \(WFQ\)](#)  
[Weighted RED \(WRED\)](#)

[Wildcard Pre-Shared Key](#)

[WRED Enhancement - Explicit Congestion Notification \(ECN\)](#)

[x Digital Subscriber Line \(xDSL\) Bridge Support](#)

[X.25](#)

[X.25 Closed User Group](#)

[X.25 Failover](#)

[X.25 Load Balancing](#)

[X.25 on ISDN D-Channel](#)

[X.25 over Frame Relay \(Annex G\)](#)

[X.25 over TCP \(XOT\)](#)

[X.25 Over TCP Profiles](#)

[X.25 Remote Failure Detection](#)

[X.25 Station Type For ISDN D-Channel Interface](#)

[X.25 Suppression of Security Signaling Facilities](#)

[X.25 Switch Local Acknowledgement](#)

[X.25 Switching between PVCs and SVCs](#)

[X.25 Terminal Line Security for PAD Connections](#)

[X.28 Emulation](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click](#) here for more information.

Close Window

© 1992-2006 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)