



Cisco Feature Navigator

Search by Feature

Search by Software

Compare Images

Objective: Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

Your Selections:

Software	IOS
Major Release	12.3XC
Release	12.3(2)XC2
Platform	1720
Feature Set	IP/ADSL

[New Search](#)

Search Results

Image Info

Image Name	c1700-y7-mz.12.3-2.XC2.bin
DRAM / Min Flash	48 / 16
Enterprise Product Number	S17C7-12302XC S17C7-12302XC=

[Compare Images](#) [View MIBs](#) [Release Notes](#) [Deferred Image](#)

Features

- [AAA Broadcast Accounting](#)
- [AAA DNIS Map for Authorization](#)
- [AAA Server Group](#)
- [AAA Server Group Deadtimer](#)
- [AAA Server Group Enhancements](#)
- [AAA Server Groups Based on DNIS](#)
- [ACL - Reflexive Access Lists](#)
- [ACL Authentication of Incoming RSH and RCP](#)
- [ACL Sequence Numbering](#)
- [Additional Vendor-Proprietary RADIUS Attributes](#)
- [Address Resolution Protocol \(ARP\)](#)
- [ADSL - Asymmetric Digital Subscriber Line Support](#)
- [Always On Dynamic ISDN \(AO/DI\)](#)
- [Asynchronous Rotary Line Queuing](#)
- [ATM-DXI](#)
- [AutoInstall over Frame Relay-ATM Interworking Connections](#)
- [AutoInstall Using DHCP for LAN Interfaces](#)
- [Automatic modem configuration](#)
- [Bandwidth Allocation Control Protocol \(BACP\)](#)
- [CDP \(Cisco Discovery Protocol\) Version 2](#)
- [CEF on Multipoint GRE Tunnels](#)
- [CEF/dCEF - Cisco Express Forwarding](#)
- [Challenge Handshake Authentication Protocol \(CHAP\)](#)

[Channelized E1 Signaling](#)
[Circuit Interface Identification Persistence for SNMP](#)
[Cisco Discovery Protocol \(CDP\) over ATM](#)
[Class Based Weighted Fair Queuing \(CBWFQ\)](#)
[Class-Based Marking](#)
[CLI String Search](#)
[CNS - Configuration Agent](#)
[CNS - Event Agent](#)
[CNS - Flow Through Provisioning](#)
[Command Scheduler \(Kron\)](#)
[Commented IP Access List Entries](#)
[Compression Control Protocol](#)
[CT1/RBS \(Robbed Bit Signaling\)](#)
[CUG Selection Facility Suppress Option](#)
[Custom Queueing \(CQ\)](#)
[Customer Profile Idle Timer Enhancements for Interesting Traffic](#)
[Default Passive Interface](#)
[DHCP Accounting](#)
[DHCP Client](#)
[DHCP Client - Dynamic Subnet Allocation API](#)
[DHCP Client on WAN Interfaces](#)
[DHCP ODAP Server Support](#)
[DHCP On Demand Address Pool \(ODAP\) Manager for non-MPLS VPN pools](#)
[DHCP Proxy Client](#)
[DHCP Relay Agent Support for Unnumbered Interfaces](#)
[DHCP Secured IP Address Assignment](#)
[DHCP Server](#)
[DHCP Server - On Demand Address Pool Manager](#)
[DHCP Server - Option to Ignore all BOOTP Requests](#)
[DHCP Server Options - Import and Autoconfiguration](#)
[Dial Backup](#)
[Dial-on-demand](#)
[Dialer Idle Timer Inbound Traffic Configuration](#)
[Dialer Persistent](#)
[Dialer Profiles](#)
[Dialer Watch](#)
[Dialer Watch Connect Delay](#)
[Differentiated Services](#)
[Diffserv Compliant WRED](#)
[DNS based X.25 routing](#)
[Double Authentication](#)
[Dynamic Multiple Encapsulation for Dial-in over ISDN](#)
[Easy IP \(Phase 1\)](#)
[EIGRP Stub Routing](#)
[Encrypted Vendor Specific Attributes](#)
[Enhanced IGRP \(EIGRP\)](#)
[Enhanced Local Management Interface \(ELMI\)](#)
[Enhanced Password Security](#)

[Enhanced Tracking Support](#)

[Fast Fragmentation \(Fast-Switched Fragmented IP Packets\)](#)

[Fast-Switched Policy Routing](#)

[Flow-Based WRED](#)

[Frame Relay](#)

[Frame Relay - Multilink \(MLFR-FRF.16\)](#)

[Frame Relay Encapsulation](#)

[Frame Relay End-to-End Keepalive](#)

[Frame Relay PVC Interface Priority Queueing](#)

[Frame Relay Router ForeSight](#)

[Frame Relay Switching](#)

[Frame Relay Switching Enhancements: Shaping and Policing](#)

[Frame Relay Traffic Shaping \(FRTS\)](#)

[Frame Relay Voice Adaptive Traffic Shaping](#)

[FTP Support for Downloading Software Images](#)

[G.SHDSL Symmetric DSL Support](#)

[Gateway Load Balancing Protocol \(GLBP\)](#)

[Generic Routing Encapsulation \(GRE\)](#)

[Generic Routing Encapsulation \(GRE\) Tunnel Keepalive](#)

[Generic Traffic Shaping \(GTS\)](#)

[Half bridge/half router for CPP and PPP](#)

[HSRP - Hot Standby Router Protocol](#)

[HSRP MD5 Authentication](#)

[HSRP support for ICMP Redirects](#)

[HTTP 1.1 Web Client](#)

[HTTP 1.1 Web Server](#)

[HTTP Security](#)

[Integrated routing and bridging \(IRB\)](#)

[Interface Alias Long Name Support](#)

[Interface Index Display](#)

[Interface Range Specification](#)

[IP Enhanced IGRP Route Authentication](#)

[IP Named Access Control List](#)

[IP Precedence for GRE Tunnels](#)

[IP Routing](#)

[IP SLAs - DHCP Operation](#)

[IP SLAs - Distribution of Statistics](#)

[IP SLAs - DNS Operation](#)

[IP SLAs - Frame Relay Interfaces](#)

[IP SLAs - FTP Operation](#)

[IP SLAs - History Statistics](#)

[IP SLAs - HTTP Operation](#)

[IP SLAs - ICMP Path Echo Operation](#)

[IP SLAs - One Way Measurement](#)

[IP SLAs - Reaction Threshold](#)

[IP SLAs - Scheduler](#)

[IP SLAs - SNA LU2 Echo](#)

[IP SLAs - SNMP Support](#)

[IP SLAs - TCP Connect Operation](#)

[IP SLAs - UDP Echo Operation](#)

[IP SLAs - UDP Jitter Operation](#)

[IP Summary Address for RIPv2](#)

[IPSec Through Network Address Translation Support](#)

[ISDN](#)

[ISDN Advice of Charge \(AOC\)](#)

[ISDN Caller ID Callback](#)

[ISDN Cause Code Override](#)

[ISDN Leased Line at 128kbps](#)

[Lock and Key](#)

[Low Latency Queueing \(LLQ\)](#)

[Low Latency Queueing \(LLQ\) for Frame Relay](#)

[Low Latency Queueing \(LLQ\) with Priority Percentage Support](#)

[MD5 File Validation](#)

[Message Banners for AAA Authentication](#)

[Microsoft Point-to-Point Compression \(MPPC\)](#)

[MLPPP - Multilink PPP](#)

[MLPPP with Link Fragmentation Interleave \(LFI\)](#)

[Modem User Interface Option](#)

[Modular QoS CLI \(MQC\)](#)

[MPLS VPN support for EIGRP between Provider Edge \(PE\) and Customer Edge \(CE\)](#)

[MS Callback](#)

[MS-CHAP Version 1](#)

[Multiclass Multilink PPP](#)

[Named Method Lists for AAA Authorization and Accounting](#)

[NAT - Default Inside Server Enhancement](#)

[NAT - Stateful Fail-over of Network Address Translation \(SNAT\) Phase 1](#)

[NAT - Network Address Translation](#)

[NAT - Support for NetMeeting Directory \(Internet Locator Service - ILS\)](#)

[NBAR - Network-based Application Recognition](#)

[NBAR Real-time Transport Protocol Payload Classification](#)

[NetFlow](#)

[NetFlow Aggregation](#)

[Netflow Multiple Export Destinations](#)

[NetFlow Policy Routing \(NPR\)](#)

[NetFlow ToS-Based Router Aggregation](#)

[Next Hop Resolution Protocol \(NHRP\)](#)

[On Demand Routing \(ODR\)](#)

[OSPF](#)

[OSPF ABR type 3 LSA Filtering](#)

[OSPF Flooding Reduction](#)

[OSPF Not-So-Stubby Areas \(NSSA\)](#)

[OSPF On Demand Circuit \(RFC 1793\)](#)

[OSPF Packet Pacing](#)

[OSPF Sham-Link Support for MPLS VPN](#)

[OSPF Stub Router Advertisement](#)

[PAD Subaddressing](#)

[Parse Bookmarks](#)
[Parser Cache](#)
[Password Authentication Protocol \(PAP\)](#)
[Per-User Configuration](#)
[Performance Enhancements for IOS ACL](#)
[Policy-Based Routing \(PBR\)](#)
[PPP](#)
[PPP over ATM](#)
[PPP over ATM \(IETF-Compliant\)](#)
[PPP over Frame Relay](#)
[PPPoE MTU Adjustment](#)
[Priority Queueing \(PQ\)](#)
[Privilege Command Enhancement](#)
[QoS Device Manager \(QDM\)](#)
[QoS Packet Marking](#)
[QoS Priority Percentage CLI Support](#)
[RADIUS](#)
[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)
[RADIUS Centralized Filter Management](#)
[RADIUS for Multiple User Datagram Protocol Ports](#)
[RADIUS Route Download](#)
[Response Time Reporter \(RTR\)](#)
[Response Time Reporter \(RTR\) enhancements](#)
[Reverse Path Forwarding - Source Exists only](#)
[RIP](#)
[RMON events and alarms](#)
[Rotating Through Dial Strings](#)
[Selective Packet Discard \(SPD\)](#)
[Show Command Redirect](#)
[Simple Network Time Protocol \(SNTP\)](#)
[Snapshot routing](#)
[SNMP \(Simple Network Management Protocol\)](#)
[SNMP Inform Request](#)
[SNMP Manager](#)
[SNMP Support over VPN](#)
[SNMPv2C](#)
[SNMPv3 \(SNMP Version 3\)](#)
[Spanning Tree Protocol \(STP\)](#)
[Spanning Tree Protocol \(STP\) Extension](#)
[Standard IP Access List Logging](#)
[Switched Multimegabit Data Service \(SMDS\)](#)
[Tacacs SENDAUTH function](#)
[Tacacs Single Connection](#)
[TACACS+](#)
[TCP Window Scaling](#)
[Time-Based Access Lists Using Time Ranges](#)
[Transparent Bridging](#)
[Triggered RIP](#)

[Tunnel Type of Service \(TOS\)](#)

[UDP forwarding support of IP Redundancy Virtual Router Group \(VRG\)](#)

[Unicast Reverse Path Forwarding \(uRPF\)](#)

[User Maximum Links](#)

[Vendor-Specific RADIUS Attributes](#)

[Virtual Interface Template Service](#)

[Virtual Profiles](#)

[Virtual Router Redundancy Protocol \(VRRP\)](#)

[Weighted Fair Queueing \(WFQ\)](#)

[Weighted RED \(WRED\)](#)

[WRED Enhancement - Explicit Congestion Notification \(ECN\)](#)

[x Digital Subscriber Line \(xDSL\) Bridge Support](#)

[X.25](#)

[X.25 Closed User Group](#)

[X.25 Failover](#)

[X.25 Load Balancing](#)

[X.25 on ISDN D-Channel](#)

[X.25 over Frame Relay \(Annex G\)](#)

[X.25 over TCP \(XOT\)](#)

[X.25 Over TCP Profiles](#)

[X.25 Remote Failure Detection](#)

[X.25 Suppression of Security Signaling Facilities](#)

[X.25 Switch Local Acknowledgement](#)

[X.25 Switching between PVCs and SVCs](#)

[X.28 Emulation](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click](#) here for more information.

Close Window

© 1992-2006 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)