



Cisco Feature Navigator

Search by Feature

Search by Software

Compare Images

Objective: Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

Your Selections:

Software	IOS
Major Release	12.3
Release	12.3(9) ▼
Platform	827 ▼
Feature Set	IP/FW PLUS IPSEC 3DES ▼

[New Search](#)

Search Results

Image Info

Image Name	c820-k9osy6-mz.12.3-9.bin
DRAM / Min Flash	24 / 8
Enterprise Product Number	S820CHK9-12309 S820CHK9-12309=

[Compare Images](#) [View MIBs](#) [Release Notes](#) [Image Download Information](#)

Features

- [AAA Broadcast Accounting](#)
- [AAA DNIS Map for Authorization](#)
- [AAA Resource Accounting](#)
- [AAA Server Group](#)
- [AAA Server Group Deadtimer](#)
- [AAA Server Group Enhancements](#)
- [AAA Server Groups Based on DNIS](#)
- [Ability to Disable Xauth for Static IPsec Peers](#)
- [ACL - Reflexive Access Lists](#)
- [ACL Authentication of Incoming RSH and RCP](#)
- [Additional Vendor-Proprietary RADIUS Attributes](#)
- [Address Resolution Protocol \(ARP\)](#)
- [ADSL - Asymmetric Digital Subscriber Line Support](#)
- [AutoInstall Using DHCP for LAN Interfaces](#)
- [Bandwidth Allocation Control Protocol \(BACP\)](#)
- [Bidirectional PIM](#)
- [CDP \(Cisco Discovery Protocol\) Version 2](#)
- [CEF on Multipoint GRE Tunnels](#)
- [CEF/dCEF - Cisco Express Forwarding](#)
- [Certificate - Auto Enrollment](#)
- [Certificate - Enrollment Enhancements](#)
- [Certification Authority Interoperability \(CA\)](#)
- [CGMP - Cisco Group Management Protocol](#)

[Challenge Handshake Authentication Protocol \(CHAP\)](#)
[Class Based Ethernet CoS Matching & Marking \(802.1p & ISL CoS\)](#)
[Class Based Weighted Fair Queuing \(CBWFQ\)](#)
[Class-Based Marking](#)
[Class-Based Policing](#)
[CLI String Search](#)
[ClickStart](#)
[CNS - Agents SSL Security](#)
[Commented IP Access List Entries](#)
[Committed Access Rate \(CAR\)](#)
[Compression Control Protocol](#)
[Context-Based Access Control \(CBAC\)](#)
[COPS for RSVP](#)
[Custom Queueing \(CQ\)](#)
[Default Passive Interface](#)
[DF Bit Override Functionality with IPSec Tunnels](#)
[DHCP Accounting](#)
[DHCP Client](#)
[DHCP Client - Dynamic Subnet Allocation API](#)
[DHCP Client on WAN Interfaces](#)
[DHCP Proxy Client](#)
[DHCP Relay Agent Support for Unnumbered Interfaces](#)
[DHCP Secured IP Address Assignment](#)
[DHCP Server](#)
[DHCP Server - On Demand Address Pool Manager](#)
[DHCP Server - Option to Ignore all BOOTP Requests](#)
[DHCP Server Options - Import and Autoconfiguration](#)
[Dial Backup](#)
[Dial on Demand Authentication Enhancements](#)
[Dial-on-demand](#)
[Dialer Idle Timer Inbound Traffic Configuration](#)
[Dialer Map VRF Aware](#)
[Dialer Persistent](#)
[Dialer Profiles](#)
[Dialer Watch](#)
[Dialer Watch Connect Delay](#)
[Diffie-Hellman Group 5](#)
[Diffserv Compliant WRED](#)
[Distinguished Name Based Crypto Maps](#)
[Double Authentication](#)
[Easy IP \(Phase 1\)](#)
[Easy VPN Remote : Multiple Inside Interface Enhancements](#)
[Easy VPN Remote Enhancements](#)
[Easy VPN Remote: Manual Tunnel Control Enhancement](#)
[EIGRP Stub Routing](#)
[Encrypted Vendor Specific Attributes](#)
[Enhanced IGRP \(EIGRP\)](#)
[Enhanced Password Security](#)

[Exporting and Importing RSA Keys](#)
[Fast-Switched Policy Routing](#)
[Firewall Feature Set](#)
[Flow-Based WRED](#)
[FTP Support for Downloading Software Images](#)
[Generic Routing Encapsulation \(GRE\)](#)
[Generic Routing Encapsulation \(GRE\) Tunnel Keepalive](#)
[Half bridge/half router for CPP and PPP](#)
[HSRP - Hot Standby Router Protocol](#)
[HSRP support for ICMP Redirects](#)
[HSRP support for MPLS VPNs](#)
[HTTP 1.1 Web Client](#)
[HTTP Security](#)
[IGMP Fast Leave](#)
[IGMP MIB Support Enhancements for SNMP](#)
[IGMP Version 2](#)
[IGMP Version 3](#)
[IGMP Version 3 - Explicit Tracking of Hosts, Groups, and Channels](#)
[IKE - Initiate Aggressive Mode](#)
[IKE Extended Authentication \(Xauth\)](#)
[IKE Mode Configuration](#)
[IKE Security Protocol](#)
[IKE Shared Secret Using AAA Server](#)
[Integrated routing and bridging \(IRB\)](#)
[Interface Alias Long Name Support](#)
[Interface Index Display](#)
[Interface Index Persistence](#)
[Interface Range Specification](#)
[IP Enhanced IGRP Route Authentication](#)
[IP Multicast Load Splitting across Equal-Cost Paths](#)
[IP Named Access Control List](#)
[IP Precedence Accounting](#)
[IP Precedence for GRE Tunnels](#)
[IP Routing](#)
[IP SLAs - DHCP Operation](#)
[IP SLAs - Distribution of Statistics](#)
[IP SLAs - DNS Operation](#)
[IP SLAs - FTP Operation](#)
[IP SLAs - History Statistics](#)
[IP SLAs - HTTP Operation](#)
[IP SLAs - ICMP Echo Operation](#)
[IP SLAs - One Way Measurement](#)
[IP SLAs - Reaction Threshold](#)
[IP SLAs - Scheduler](#)
[IP SLAs - SNA LU2 Echo](#)
[IP SLAs - SNMP Support](#)
[IP SLAs - TCP Connect Operation](#)
[IP SLAs - UDP Echo Operation](#)

[IP SLAs - UDP Jitter Operation](#)

[IP Summary Address for RIPv2](#)

[IPSec MIB Support for Cisco IPSec VPN Management](#)

[IPSec Network Security](#)

[IPSec Through Network Address Translation Support](#)

[IPSec Triple DES Encryption \(3DES\)](#)

[L2TP Dial-Out](#)

[L2TP Layer 2 Tunneling Protocol](#)

[L2TP Tunnel Preservation of IP TOS](#)

[Layer 2 Forwarding-Fast Switching](#)

[Link Fragmentation and Interleaving \(LFI\) for Frame Relay and ATM Virtual Circuits](#)

[Lock and Key](#)

[Low Latency Queueing \(LLQ\)](#)

[MD5 File Validation](#)

[Message Banners for AAA Authentication](#)

[Microsoft Point-to-Point Compression \(MPPC\)](#)

[MLPPP - Multilink PPP](#)

[Modular QoS CLI \(MQC\)](#)

[MS Callback](#)

[MS-CHAP Version 1](#)

[Multihop VPDN](#)

[Multiple RSA Keypair Support](#)

[Named Method Lists for AAA Authorization and Accounting](#)

[NAT - Default Inside Server Enhancement](#)

[NAT - Enhanced H.225/H.245 Forwarding Engine](#)

[NAT - Network Address Translation](#)

[NAT - Support for NetMeeting Directory \(Internet Locator Service - ILS\)](#)

[NAT - Support of H.323v2 Call Signaling \(FastConnect\)](#)

[NAT-Support of IP Phone to Cisco Call Manager](#)

[NetFlow](#)

[NetFlow Aggregation](#)

[NetFlow Policy Routing \(NPR\)](#)

[On Demand Routing \(ODR\)](#)

[Optimized PPP Negotiation](#)

[Parse Bookmarks](#)

[Parser Cache](#)

[Password Authentication Protocol \(PAP\)](#)

[Per-User Configuration](#)

[PIM Dense Mode State Refresh](#)

[PIM MIB Extension for IP Multicast](#)

[PIM Multicast Scalability](#)

[PIM Version 1](#)

[Policy-Based Routing \(PBR\)](#)

[Port to Application Mapping \(PAM\)](#)

[PPP](#)

[PPP over ATM SVCs](#)

[PPPoE Client](#)

[PPPoE MTU Adjustment](#)

[PPPoE on Ethernet](#)
[PPPoE Radius Port Identification](#)
[PPTP with MPPE](#)
[Priority Queueing \(PQ\)](#)
[QoS Packet Marking](#)
[RADIUS](#)
[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)
[RADIUS for Multiple User Datagram Protocol Ports](#)
[RADIUS Route Download](#)
[RADIUS Tunnel Attribute Extensions](#)
[Random Early Detection \(RED\)](#)
[Resource Pool Management with Direct Remote Services](#)
[Response Time Reporter \(RTR\)](#)
[Response Time Reporter \(RTR\) enhancements](#)
[RGMP - Router-Port Group Management Protocol](#)
[RIP](#)
[Rotating Through Dial Strings](#)
[RSVP - Resource Reservation Protocol](#)
[Secure Copy \(SCP\)](#)
[Secure Shell SSH Terminal-line access](#)
[Secure Shell SSH Version 1 Integrated Client](#)
[Secure Shell SSH Version 1 Server Support](#)
[Selective Packet Discard \(SPD\)](#)
[Selective Virtual-Access Interface Creation](#)
[Simple Network Time Protocol \(SNTP\)](#)
[Single Rate 3-Color Marker for Traffic Policing](#)
[SNMP \(Simple Network Management Protocol\)](#)
[SNMP Support over VPN](#)
[SNMPv2C](#)
[SNMPv3 \(SNMP Version 3\)](#)
[Source Specific Multicast \(SSM\)](#)
[Source Specific Multicast \(SSM\) - IGMPv3,IGMP v3lite, and URD](#)
[Spanning Tree Protocol \(STP\)](#)
[Spanning Tree Protocol \(STP\) - Loop Guard](#)
[Spanning Tree Protocol \(STP\) - Portfast](#)
[Spanning Tree Protocol \(STP\) - Uplink Load Balancing](#)
[Spanning Tree Protocol \(STP\) Extension](#)
[Standard IP Access List Logging](#)
[Stub IP Multicast Routing](#)
[Subnetwork Bandwidth Manager \(SBM\)](#)
[Tacacs SENDAUTH function](#)
[Tacacs Single Connection](#)
[TACACS+](#)
[TCP Window Scaling](#)
[Time-Based Access Lists Using Time Ranges](#)
[Transparent Bridging](#)
[Triggered RIP](#)
[Trusted Root Certification Authority](#)

[Trustpoint CLI](#)

[Tunnel Endpoint Discovery](#)

[Tunnel Type of Service \(TOS\)](#)

[Turbo Flooding of UDP Datagrams](#)

[TX Ring adjustment](#)

[UDLR Tunnel ARP and IGMP Proxy](#)

[Uni-Directional Link Routing \(UDLR\)](#)

[Unicast Reverse Path Forwarding \(uRPF\)](#)

[User Maximum Links](#)

[Virtual Interface Template Service](#)

[Virtual Private Dial-up Network \(VPDN\)](#)

[Virtual Profile CEF Switched](#)

[Virtual Profiles](#)

[VPN Tunnel Management](#)

[Weighted Fair Queueing \(WFQ\)](#)

[Weighted RED \(WRED\)](#)

[Wildcard Pre-Shared Key](#)

[WRED Enhancement - Explicit Congestion Notification \(ECN\)](#)

[x Digital Subscriber Line \(xDSL\) Bridge Support](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click](#) here for more information.

Close Window

© 1992-2006 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)